création baumann

ENTRADA

Three-dimensional room divider and curtain; The innovative product unites functionality with aesthetics, provides privacy in the interior and at the window whilst absorbing sound. The fabric, which resembles a wool cloth, is first cut by laser and then sewn into a three-dimensional structure. The relief generates delightful interplays with light and shade and looks like a sculpture in a room.









Use: Dense curtain fabric

Number of colours:

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 120 cm/47 inch/1.31 yard

403 g/m² Weight:

Pattern repeat: Width: 120.0 cm/47 inch/1.31 yard

Height: 300.0 cm/118 inch/3.28 yard

Additional use:

Care:

Dry cleaning (length shrinkage): $0.5\,\%$

Sound absorption: Alpha value 0.65

Certificates / tests:

*all testing reports can be downloaded from our website under product details

Special notes:

Fire Test DIN 4102 B1

Sound absorption ISO 354 / ISO 11654 Lightfastness certificate

- Pattern repeat 120 x 300 cm, customised heights are an option as a special.

- All four edges feature a decorative seam.

- Combines well with the uni Calvaro. - This article is only available in complete picture repeats. The price is quoted per

repeat in this case.



création baumann

ENTRADA













Col. 0401

Col. 0406

CARE SYMBOLS FOR TEXTILES

Washing (wash tub) | SEE | Normal process 95° | | SEE | Mild process 95° | | SEE | Normal process 60° | | SEE | Mild process 60° | | SEE | Mild process 60° | | SEE | Mild process 40° | | SEE | Mild process 40°

The numbers in the washing tub specify the maximum temperature in °C which must not be exceeded. The bar underneath the wash tub characterizes a milder cycle with reduced mechanical action.

Do not wash

Ironing (hand iron)



Iron at maximum sole-plate temperature



Iron at a medium sole-plate temperature. Take care when using a steam iron



Iron at a low sole-plate temperature. Take care when using a steam iron



Do not iron

The number of dots indicates the severity as regards to temperature of the handiron.

Chlorine-based bleaching (triangle)



Chlorine-based bleaching allowed



Do not use chlorine-based bleach

Tumble drying (circle in a square)



Drying at a lower temperature setting



Do not tumble dry

The numbers of dots indicates the severity as regards to temperature of the tumble drying treatment.

Dry-cleaning (circle)



Self-service cleaning also allowed (A)



Drycleanable



Drycleanable



Self-service cleaning not allowed (F)



Self-service cleaning not allowed (F2)



Do not dry clean



Mild professional wet-cleaning

The letters within the circle specify the solvents that can be used. The bar under the circle indicates that certain limitations in the drycleaning process are required. These may concern mechanical action and/or drying temperature and/or water addition in the solvent. – No selfservice cleaning allowed.

Gecko



Cleaning with window wiper (Unger method)



Cleaning by "Spray Extraction" method by machine

SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
Can be railroaded	light transmission level Tv, n-h	EA Elasthan
		GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Pattern repeat displaced	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in warp direction Repeat in weft direction	light absorption level Av UV transmission level Tuv	PI Paper
		PL Polyester
		PLF Flameretardant polyester
Weight (g/m2)	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Yarn dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Piece dyed	solar absorption level Ae	RA Ramie
		SE Silk
Knitted	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Woven		VI Viscose
Warp print		WM Wool Mohair
		WV Wool
Screen print/burnout		
Metalized on one side		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (we recommend to process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

÷.,	Fabrics with very high lightfastness for indoor and outdoor use
3.44	Reverso