


Felicity

Colour 2477-61164



Please be aware that the colour shades can appear different from the real fabric colours. We advise you to request actual fabric samples before ordering.

Colour scale

Design no. 2477 Felicity (140 cm/55") is available in 31 colours



Felicity is an unicoloured, 100% post-consumer recycled polyester fabric with an exceptional soft and luxurious touch. The design is characterised by flowing, organic lines that playfully explore a new and vibrant perspective on texture and structure. The thickness of the yarn gives the fabric depth and body and creates a voluminous feel. Felicity carries the EU Ecolabel, and is OEKO-TEX® STANDARD 100 certified.

100% recyclable polyester
Meets Möbelfakta requirements

Design and colours are developed by Mette Krebs Petersen

Order

Please sign in to
order fabrics and
samples.



Product specifications

Characteristics

Performance

Design no.

2477 — Felicity

Application

Upholstery

Composition

100% Post-consumer recycled polyester

Weight

430 g/lm — 13.87 oz/lin.yd

Width

140 cm — 55 inches

Environment**Environment, health, and safety**

OEKO-TEX® STANDARD 100

EU Ecolabel

Meets Möbelfakta requirements

VOC emission

Ansi/Bifma VOC test M7.1

Potential environmental impacts

Environmental Product Declaration (EPD)

Abrasion

90,000 — rubs martindale (EN ISO 12947-2)

100,000 — double rubs wyzenbeek (ASTM D4157) (heavy duty upholstery)

Pilling

5 — scale 1-5, max. 5 (EN ISO 12945-2)

Light fastness

5-7 — scale 1-8, max. 8 (EN ISO 105-B02)

Rubbing fastness dry/wet

4-5/4-5 — scale 1-5, max. 5 (EN ISO 105x12)

Flammability

BS EN 1021 1&2 Cigarette and Match

BS EN 1021-1 Cigarette

CA TB 117-2013

Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used. Contains no flame retardant chemicals.

US ACT pass

 AATCC 8 or 116 Dry/wet crocking

 ASTM D4157-07 Wyz abrasion (heavy duty) 100k

 ASTM D3511 Pilling

 AATCC 16 Light fastness

 CA TB 117-2013

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Certificates

Acoustic test air flow resistance

Test	Condition	No.	Date	Download
EN 29053 & ISO 9053-1 (airflow resistance)		M104146/42	06 Mar 2019	PDF

Abrasion resistance

Test	Condition	No.	Date	Download
BS EN ISO 12947-2/14465	In accordance with EN 14465	144420705	08 Aug 2025	PDF
ASTM D4157-07 Wyz abrasion (heavy duty) 100k		25-001543	09 Jun 2025	PDF

Pilling

Test	Condition	No.	Date	Download
BS EN ISO 12945-2		144420705	08 Aug 2025	PDF
ASTM D3511 Pilling		21-006185	04 Jan 2022	PDF

Colour fastness to light

Test	Condition	No.	Date	Download
BS EN ISO 105 B02 Method 2		2025AN1765	04 Jul 2025	PDF
AATCC 16 Light fastness		2025AN1765	04 Jul 2025	PDF

Dry and wet rubbing/crocking

Test	Condition	No.	Date	Download
BS EN ISO 105-X12 Rubbing dry/wet		2025AN1765	04 Jul 2025	PDF
AATCC 8 or 116 Dry/wet crocking		2025AN1765	04 Jul 2025	PDF

Seam slippage

Test	Condition	No.	Date	Download
BS EN ISO 13936-2		28512155	28 Jan 2022	PDF
ASTM D4034 Yarn slippage at a sewn seam		3-23625-5	20 Dec 2017	PDF

Breaking Force

Test	Condition	No.	Date	Download
ASTM D5034 Breaking force		3-23625-4	13 Dec 2017	PDF

Flammability

Test	Condition	No.	Date	Download
BS EN 1021 1&2 Cigarette and Match	35 kg/m3 CMHR foam	23/59121D/11/21	04 Jan 2022	PDF

BS EN 1021-1 Cigarette	20-22 kg/m3 non- fire retardant polyurethane foam	23/59363/02/22	14 Feb 2022	PDF
------------------------	---	----------------	-------------------	---------------------

CA TB 117-2013		21-006185	04 Jan 2022	PDF
----------------	--	-----------	-------------------	---------------------

VOC emission

Test	Condition	No.	Date	Download
Ansi/Bifma VOC test M7.1		392-2025- 00484401	09 Oct 2025	PDF

Resistance to Bleach Cleaning

Test	Condition	No.	Date	Download
Internal test according BIFMA HCF 8.1 and ACT Method 1	1:10 Sodium Hypochlorite 5,25- 6,25%		05 Oct 2020	PDF

Material Safety Data Sheet

Test	Condition	No.	Date	Download
Material Safety Data Sheet			30 Sep 2021	PDF

Potential environmental impacts

Test	Condition	No.	Date	Download
Environmental Product Declaration (EPD)			23 Jul	PDF