



MINT
Hanging fabrics



8000




6810



6910



6520



8500



8100



8400



4051



6760



4441




4461



4272




4462




4654



6054



6464




6024



6225



6425




6336




5833




4714




4843




4552



4432



4422




4520



5320



4623




5822




3441




6927



3254



3443



3445



3745



4061



3461



3225



3035



6834




6743




3021




6722



3031



3332



3841

MINT

Hanging fabrics

Width: 300 cm

Weight: 92 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Against wet rubbing according to

EN ISO 105-X12:

- 3 (Scale 1-5)

Flame retardancy:

- BS 5867:

- DIN 4102-1 class B1

- IMO FTP Code Part 7 (IMO Res.

A.471 (12), IMO A.563 (14))

- EN 13773 class 1

Acoustics:

Measurement of sound absorption

in a reverberation room: EN ISO

354:2003 Ratio of sound absorption

EN ISO 11654:1997: w = 0,15, Class

E

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

