




NOVA
Hanging fabrics

 **svensson**




1500




3006



3206




3226




3331



3500




3962




4281



4323




4333




4370




4422



4453




4461




4463




4521



4547



4844



4863



4945



5013




5211



5621



6212



6223



6252




6501



6503



6522




6620




6650



6782



8000




8030



8330




8340



8440




8660



8700



8800




3010



3116




3125



3188



3435




3575



3635




3650



3683



3845



4145



4340

NOVA

Hanging fabrics

Width: 300 cm

Weight: 110 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 5 (Scale 1-5)

Against wet rubbing according to EN ISO 105-X12:

- 3 (Scale 1-5)

Flame retardancy:

- BS 5867:

- DIN 4102-1 class B1

- IMO FTP Code Part 7

- EN 13773 class 1

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com







4445



4745




5085



5088




5785



5810



5845




5988



6120



6525



6790



7788

NOVA

Hanging fabrics

Width: 300 cm

Weight: 110 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO

105-B02

- 5-7 (Scale 1-8)

Against washing according to EN

ISO 105-C06

- 5 (Scale 1-5)

Against wet rubbing according to

EN ISO 105-X12:

- 3 (Scale 1-5)

Flame retardancy:

- BS 5867:

- DIN 4102-1 class B1

- IMO FTP Code Part 7

- EN 13773 class 1

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

